

918-KPJ

Flat-cable stripping machine



Working range

1-12 mm

Power

1.5 kW

Stripping speed

30 m/min

918-KPJ is designed for the outer sheath of flexible flat wire, socket leads and round multicore cable. It accommodates two-, three- and four-core cable constructions.

918-KPJ 适用于软扁线、插座线及圆形多芯线的外护套处理，可用于二芯、三芯和四芯线缆。

Built for your application

产品用途与结构特点

918-KPJ is designed for the outer sheath of flexible flat wire, socket leads and round multicore cable. It accommodates two-, three- and four-core cable constructions.

918-KPJ 适用于软扁线、插座线及圆形多芯线的外护套处理，可用于二芯、三芯和四芯线缆。

Product highlights

01 Flat-wire sheath removal

02 Two-, three- and four-core cable applications

03 Compact cable processing arrangement

Cable stripping & conductor recovery

Used to open insulation and prepare conductors for recovery. Match the feed position and cutting configuration to the cable's outside diameter, insulation material and construction.

用于线缆外皮剥离与导体回收。按电缆外径、绝缘材料和结构选择进线位置与切削配置。

Plan your configuration

- Cable outside diameter and insulation type
- Armored or unarmored cable construction
- Available voltage, frequency and phase
- Expected daily throughput and destination

请提供物料照片、尺寸范围、处理量、电源条件与收货国家，以便确定合适配置。

Technical specifications

技术规格与配置


Technical specifications

Specification	Value
Model	918-KPJ
Power	1.5 kW
Voltage	220/380 V
Working range	1-12 mm
Blades	1
Feed openings	6
Stripping speed	30 m/min
Dimensions	40 × 40 × 88 cm
Weight	56 kg

Final configuration, electrical supply and included accessories are confirmed in the quotation.

A closer look

产品结构细节



Product view 02

Talk to SENDUO

Taizhou Senduo Environmental Protection Equipment
Technology Co., Ltd
台州森多环保设备科技有限公司

Building 3, Huifeng Science and Technology Industrial Park,
Fengjiang Street, Luqiao District, Taizhou City, Zhejiang
Province, China

中国浙江省台州市路桥区峰江街道汇峰科技产业园3号楼

SALES & TECHNICAL ENQUIRIES

Lilian | Mobile / WhatsApp

+86 158 6868 6022

Ken Shi | Mobile / WhatsApp

+86 156 0588 2166

sales@sd-recycle.com

sales@sen-duo.com

sen-duo.com | wirestrippermachine.com