

QJ-400M01

Copper wire granulator



Working range

0.5-20 mm

Power

22.76 kW

Processing capacity

150-200 kg/h

QJ-400M01 crushes and separates waste cable to recover copper and plastic. Its enclosed processing arrangement includes dust collection for a dedicated recycling workspace.

QJ-400M01 通过破碎与分选回收废线缆中的铜和塑料，采用封闭处理布局并配置集尘系统。

Built for your application

产品用途与结构特点

QJ-400M01 crushes and separates waste cable to recover copper and plastic. Its enclosed processing arrangement includes dust collection for a dedicated recycling workspace.

QJ-400M01 通过破碎与分选回收废线缆中的铜和塑料，采用封闭处理布局并配置集尘系统。

Product highlights

01 Cable crushing and separation

02 Enclosed processing arrangement

03 Integrated dust collection

Copper & plastic separation

Used in cable-recycling workflows that reduce wire into smaller material and separate the metal-rich fraction from insulation. Feed composition and preparation influence the required configuration.

用于线缆破碎后的铜塑分离。进料构成及预处理方式会影响所需设备配置。

Plan your configuration

- Feed material composition and sample photos
- Required hourly output and operating schedule
- Available power supply and installation space
- Required separation process and destination

请提供物料照片、尺寸范围、处理量、电源条件与收货国家，以便确定合适配置。

Technical specifications

技术规格与配置

Technical specifications

Specification	Value
Model	QJ-400M01
Power	22.76 kW
Voltage	380 V
Working range	0.5-20 mm
Blades	10+2
Processing capacity	150-200 kg/h
Dimensions	270 × 190 × 230 cm
Weight	1600 kg

Final configuration, electrical supply and included accessories are confirmed in the quotation.

Talk to SENDUO

Taizhou Senduo Environmental Protection Equipment
Technology Co., Ltd
台州森多环保设备科技有限公司

Building 3, Huifeng Science and Technology Industrial Park,
Fengjiang Street, Luqiao District, Taizhou City, Zhejiang
Province, China

中国浙江省台州市路桥区峰江街道汇峰科技产业园3号楼

SALES & TECHNICAL ENQUIRIES

Lilian | Mobile / WhatsApp

+86 158 6868 6022

Ken Shi | Mobile / WhatsApp

+86 156 0588 2166

sales@sd-recycle.com

sales@sen-duo.com

sen-duo.com | wirestrippermachine.com